



BOSCH

Invented for life

Simply Revolutionary Solutions.

Bosch Hot Water.
Quick Reference.

bosch-climate.com.au



Simply Revolutionary Solutions

Bosch Hot Water Appliance Quick Reference

Part Numbers				Dimensions H x W x D (mm)	Mj/h	Gas	Cold	Hot	Warranty	
Natural Gas 50°C Limited	Natural Gas	LPG 50°C Limited	LPG			Pipe Connection Sizes (mm)			Heat Exchanger Part (Years)	Parts & Labour (Years)

GAS CONTINUOUS FLOW MODELS*

OptiFlow with Bluetooth Connectivity											
16L	7736503239	7736503241	7736503240	7736503242	524 x 344 x 170	122	20	20	20	12	3
20L	7736503247	7736503249	7736503248	7736503250	524 x 344 x 170	149	20	20	20	12	3
26L	7736503228	7736503230	7736503229	7736503231	524 x 344 x 170	199	20	20	20	12	3
OptiFlow Professional - Builders series											
16L	7736503235	7736503237	7736503236	7736503238	524 x 344 x 170	122	20	20	20	12	3
20L	7736503243	7736503245	7736503244	7736503246	524 x 344 x 170	149	20	20	20	12	3
26L	7736503224	7736503226	7736503225	7736503227	524 x 344 x 170	199	20	20	20	12	3
OptiFlow Professional External 12L - Easy retrofit											
12L	7736502493	7736502491	7736502494	7736502492	563 x 300 x 170	90	15	15	15	12	3
OptiFlow Professional Internal - Room sealed, flued appliance											
12L	7736502489	7736502487	7736502490	7736502488	570 x 300 x 170	90	15	15	15	12	3
16L	7736502497	7736502495	7736502498	7736502496	570 x 364 x 175	120	15	15	15	12	3
20L	7736502501	7736502499	7736502502	7736502500	570 x 364 x 175	149	15	15	15	12	3

Bosch Co-axial Flue - must be used with the OptiFlow Professional Internal Range. Please refer to the Bosch Product Reference Guide for flue configurations					
Vertical Flue Kit	Part No: 7716050071		90° elbow	Part No: 7736995079	
Fixed Length Horizontal Flue Kit	Part No: 7716050064		45° elbow	Part No: 7736995071	
Telescopic Horizontal Flue Kit	Part No: 7716050063		Straight Pipe 350 mm	Part No: 7736995059	
Highline Horizontal Flue Kit	Part No: 7736995083		Straight Pipe 750 mm	Part No: 7736995063	
Straight Pipe 1500 mm	Part No: 7736995067		Horizontal Condensate Collector	Part No: 7736995087	
Vertical Condensate Collector	Part No: 7736995089				

HydroPower - No power point required											
10L		7716462901		7716463301	845 x 405 x 265	79	15	15	15	10	2
13L		7716472601		7716473601	845 x 405 x 265	104	15	15	15	10	2
16L		7716482601		7716483601	936 x 460 x 265	130	15	15	15	10	2
Internal Compact - No power point required, ideal for frost prone areas											
10L		7701331614		7701531975	580 x 310 x 220	79	15	15	15	10	2
13L		7702331714		7702531974	655 x 350 x 220	100	15	15	15	10	2
16L		7703331744		7703531948	655 x 425 x 220	127	15	15	15	10	2
Pilot Ignition - No power point required, standing pilot light											
10L		9707061030		9707061028	845 x 405 x 265	82	15	15	15	10	2
16L		9707063000			936 x 460 x 265	130	15	15	15	10	2

Part Numbers				Dimensions H x W x D (mm)	Cold		Hot	Warranty	
1.8kW	2.4kW	3.6kW	4.8kW		Pipe Connection Sizes (mm)			Cylinder Part (Years)	Parts & Labour (Years)

ELECTRIC STORAGE MODELS

Tronic 1000T - Bosch quality and reliability as standard											
80L	7716500232	7716500233	7716500234		1060 x 470 x 510	20	20		7		2
125L	7716500237	7716500238	7716500239		1511 x 470 x 510	20	20		7		2
160L	7716500242	7716500243	7716500244		1512 x 540 x 580	20	20		7		2
250L			7716500247	7716500248	1407 x 648 x 690	20	20		7		2
315L			7716500251	7716500252	1710 x 648 x 690	20	20		7		2
400L			7716500255	7716500256	1731 x 730 x 775	20	20		7		2

Compress 3000 Heat Pump - Reduces energy usage by up to 65%** and PV solar energy system compatible											
270L	7736501960				1840 x 670	20	20		5		2

*L/min continuous hot water delivery @25°C rise

**When compared with a conventional electric storage water heater.



BOSCH

Invented for life

OptiFlow with Bluetooth Connectivity

For ultimate installer convenience and user experience



OptiFlow Professional

Builders series quality and affordability



OptiFlow Professional 12L

Easy retrofit from Bosch HydroPower and Pilot models



OptiFlow Professional Internal

Compact room sealed appliance with flexible flueing options at lower cost



Controllers

Compatible with OptiFlow range



Main Controller

Part no:
7736504469



Bathroom Controller

Part no:
7736504467

Recess Box

Part no:
8736200270

Pipe Cover

Part no:
8736200260



Both compatible with OptiFlow external 16L, 20L & 26L models

HydroPower

No power point required



Internal Compact

HydroPower, no powerpoint required, ideal for frost prone areas



Pilot Ignition

No power point required, standing pilot light



Tronic 1000T

Dual handed connections for easy installation, and Bosch quality and reliability as standard



Compress 3000 Heat Pump

Reduces energy usage by up to 65%** and PV solar energy system compatible



After Sales Service

1300 30 70 37

bosch-climate.com.au

Bosch e-Learning Training Program



Bosch Hot Water and Heating has introduced a new and exciting initiative for providing training for people involved in the sales, installation, and service of hot water products.

The e-Learning system provides a comprehensive training solution where you can:

- ▶ book into face to face training courses
- ▶ participate in e-Learning courses
- ▶ download technical and spare parts information.

The e-Learning Program is online and live which ensures you have the most up to date and current Bosch hot water and heating information.

We welcome you to our community and encourage you to explore our system by visiting:

www.boschhotwatertraining.com.au

Robert Bosch Australia Pty. Ltd.

1555 Centre Rd
Clayton Victoria 3168
Sales Hotline: 1300 30 70 37
Sales Fax: 1300 30 70 38

bosch-climate.com.au

Technical data subject to modification without notice.

Printed July 2018 in Australia. Any color variations are due to the limitations of the printing process.

Printed on 100% chlorine-free bleached cellulose manufactured in an environmentally friendly process.