

Merk	Model	type	aansluiting	Vermogen Compressor kW	Vermogen Compressor per fase in kW	Thermisch vermogen A2/W35 in kW	Europees productlabel 55° C gemiddelde klimaatomstandig- heden
Bosch	CS 3000 AWES 2	lucht/water	230 V	1,4	1,4	3	A++
Bosch	CS 3000 AWES 4	lucht/water	230 V	2,4	2,4	4	A++
Bosch	CS 3000 AWES 6	lucht/water	230 V	2,6	2,6	5	A++
Bosch	CS 3000 AWES 8	lucht/water	230 V	2,8	2,8	6	A++
Bosch	CS 3000 AWES 11s	lucht/water	230 V	3,9	3,9	9	A++
Bosch	CS 3000 AWES 11t	lucht/water	3 x 400 V	3,9	1,3	9	A++
Bosch	CS 3000 AWES 13s	lucht/water	230 V	4,3	4,3	10	A++
Bosch	CS 3000 AWES 13t	lucht/water	3 x 400 V	4,3	1,43	10	A++
Bosch	CS 3000 AWES 15s	lucht/water	230 V	4,6	4,6	11	A++
Bosch	CS 3000 AWES 15t	lucht/water	3 x 400 V	4,6	1,53	11	A++
Bosch	CS 3000 AWBS 2	lucht/water	230 V	1,4	1,4	3	A++
Bosch	CS 3000 AWBS 4	lucht/water	230 V	2,4	2,4	4	A++
Bosch	CS 3000 AWBS 6	lucht/water	230 V	2,6	2,6	5	A++
Bosch	CS 3000 AWBS 8	lucht/water	230 V	2,8	2,8	6	A++
Bosch	CS 3000 AWBS 11s	lucht/water	230 V	3,9	3,9	9	A++
Bosch	CS 3000 AWBS 11t	lucht/water	3 x 400 V	3,9	1,3	9	A++
Bosch	CS 3000 AWBS 13s	lucht/water	230 V	4,3	4,3	10	A++
Bosch	CS 3000 AWBS 13t	lucht/water	3 x 400 V	4,3	1,43	10	A++
Bosch	CS 3000 AWBS 15s	lucht/water	230 V	4,6	4,6	11	A++
Bosch	CS 3000 AWBS 15t	lucht/water	3 x 400 V	4,6	1,53	11	A++
Bosch	CS 3000 AWMS 2	lucht/water	230 V	1,4	1,4	3	A++
Bosch	CS 3000 AWMS 4	lucht/water	230 V	2,4	2,4	4	A++
Bosch	CS 3000 AWMS 6	lucht/water	230 V	2,6	2,6	5	A++
Bosch	CS 3000 AWMS 8	lucht/water	230 V	2,8	2,8	6	A++
Bosch	CS 3000 AWMS 11s	lucht/water	230 V	3,9	3,9	9	A++
Bosch	CS 3000 AWMS 11t	lucht/water	3 x 400 V	3,9	1,3	9	A++
Bosch	CS 3000 AWMS 13s	lucht/water	230 V	4,3	4,3	10	A++
Bosch	CS 3000 AWMS 13t	lucht/water	3 x 400 V	4,3	1,43	10	A++
Bosch	CS 3000 AWMS 15s	lucht/water	230 V	4,6	4,6	11	A++
Bosch	CS 3000 AWMS 15t	lucht/water	3 x 400 V	4,6	1,53	11	A++
Bosch	CS 3000 AWMS S 2	lucht/water	230 V	1,4	1,4	3	A++
Bosch	CS 3000 AWMS S 4	lucht/water	230 V	2,4	2,4	4	A++
Bosch	CS 3000 AWMS S 6	lucht/water	230 V	2,6	2,6	5	A++
Bosch	CS 3000 AWMS S 8	lucht/water	230 V	2,8	2,8	6	A++
Bosch	CS 3000 AWMS S 11s	lucht/water	230 V	3,9	3,9	9	A++

Merk	Model	type	aansluiting	Vermogen Compressor kW	Vermogen Compressor per fase in kW	Thermisch vermogen A2/W35 in kW	Europees productlabel 55° C gemiddelde klimaatomstandig- heden
Bosch	CS 3000 AWMS S 11t	lucht/water	3 x 400 V	3,9	1,3	9	A++
Bosch	CS 3000 AWMS S 13s	lucht/water	230 V	4,3	4,3	10	A++
Bosch	CS 3000 AWMS S 13t	lucht/water	3 x 400 V	4,3	1,43	10	A++
Bosch	CS 3000 AWMS S 15s	lucht/water	230 V	4,6	4,6	11	A++
Bosch	CS 3000 AWMS S 15t	lucht/water	3 x 400 V	4,6	1,53	11	A++
Bosch	CS 6000 4 AWE	lucht/water	230 V	2,1	2,1	4	A++
Bosch	CS 6000 6 AWE	lucht/water	230 V	2,68	2,68	5	A++
Bosch	CS 6000 8 AWE	lucht/water	230 V	2,94	2,94	6	A++
Bosch	CS 6000 11s AWE	lucht/water	230 V	4,08	4,08	9	A++
Bosch	CS 6000 11t AWE	lucht/water	3 x 400 V	4,08	1,36	9	A++
Bosch	CS 6000 14 AWE	lucht/water	3 x 400 V	4,83	1,61	10	A++
Bosch	CS 6000 4 AWB	lucht/water	230 V	2,1	2,1	4	A++
Bosch	CS 6000 6 AWB	lucht/water	230 V	2,68	2,68	5	A++
Bosch	CS 6000 8 AWB	lucht/water	230 V	2,94	2,94	6	A++
Bosch	CS 6000 11s AWB	lucht/water	230 V	4,08	4,08	9	A++
Bosch	CS 6000 11t AWB	lucht/water	3 x 400 V	4,08	1,36	9	A++
Bosch	CS 6000 14t AWB	lucht/water	3 x 400 V	4,83	1,61	10	A++
Bosch	CS 6000 4 AWM	lucht/water	230 V	2,1	2,1	4	A++
Bosch	CS 6000 6 AWM	lucht/water	230 V	2,68	2,68	5	A++
Bosch	CS 6000 8 AWM	lucht/water	230 V	2,94	2,94	6	A++
Bosch	CS 6000 11s AWM	lucht/water	230 V	4,08	4,08	9	A++
Bosch	CS 6000 11t AWM	lucht/water	3 x 400 V	4,08	1,36	9	A++
Bosch	CS 6000 14 AWM	lucht/water	3 x 400 V	4,83	1,61	10	A++
Bosch	CS 6000 4 AWMS	lucht/water	230 V	2,1	2,1	4	A++
Bosch	CS 6000 6 AWMS	lucht/water	230 V	2,68	2,68	5	A++
Bosch	CS 6000 8 AWMS	lucht/water	230 V	2,94	2,94	6	A++
Bosch	CS 6000 11s AWMS	lucht/water	230 V	4,08	4,08	9	A++
Bosch	CS 6000 11t AWMS	lucht/water	3 x 400 V	4,08	1,36	9	A++
Bosch	CS 6000 14 AWMS	lucht/water	3 x 400 V	4,83	1,61	10	A++
Bosch	CS 7000 12 LWM	Geothermisch	3 x 400 V	5,19	1,75	10	A++
Bosch	CS 7000 12 LWM SW	Geothermisch	3 x 400 V	5,19	1,75	10	A++
Bosch	CS 7800iLW 6 F	Geothermisch	3 x 400 V	1,36	1,36	5,84	A++
Bosch	CS 7800iLW 8 F	Geothermisch	3 x 400 V	1,89	1,89	7,76	A+++
Bosch	CS 7800iLW 12 F	Geothermisch	3 x 400 V	2,23	0,74	12,3	A+++
Bosch	CS 7800iLW 16 F	Geothermisch	3 x 400 V	4,06	1,26	15,28	A+++

Merk	Model	type	aansluiting	Vermogen Compressor kW	Vermogen Compressor per fase in kW	Thermisch vermogen A2/W35 in kW	Europees productlabel 55° C gemiddelde klimaatomstandig- heden
Bosch	CS 7800iLW 6 MF	Geothermisch	3 x 400 V	1,36	1,36	5,84	A+++
Bosch	CS 7800iLW 8 MF	Geothermisch	3 x 400 V	1,89	1,89	7,76	A+++
Bosch	CS 7800iLW 12 MF	Geothermisch	3 x 400 V	2,23	0,74	12,3	A+++
Bosch	CS 7800iLW 16 MF	Geothermisch	3 x 400 V	4,06	1,26	15,28	A+++
Bosch	CS 7400i AWM 5	lucht/water	230 V	2,1	2,1	4,76	A++
Bosch	CS 7400i AWM 7	lucht/water	230 V	2,68	2,68	6,2	A++
Bosch	CS 7400i AWE 5	lucht/water	230 V	2,1	2,1	4,76	A++
Bosch	CS 7400i AWE 7	lucht/water	230 V	2,68	2,68	6,2	A++
Bosch	CS 7400i AWB 5	lucht/water	230 V	2,1	2,1	4,76	A++
Bosch	CS 7400i AWB 7	lucht/water	230 V	2,68	2,68	6,2	A++
Bosch	CS3400iAWS 4 ORE-S	lucht/water	230 V	1,13	1,13	3,81	A++
Bosch	CS3400iAWS 6 ORE-S	lucht/water	230 V	2,81	2,81	5,98	A+
Bosch	CS3400iAWS 8 ORE-S	lucht/water	230 V	3,32	3,32	7,35	A++
Bosch	CS3400iAWS 10 ORE-S	lucht/water	230 V	3,85	3,85	7,85	A++
Bosch	CS3400iAWS 12 ORE-S	lucht/water	230 V	3,76	3,76	10,8	A+
Bosch	CS3400iAWS 14 ORE-S	lucht/water	230 V	4,12	4,12	11,4	A+
Bosch	CS3400iAWS 10 ORE-T	lucht/water	3 x 400 V	2,81	0,94	9,6	A++
Bosch	CS3400iAWS 12 ORE-T	lucht/water	3 x 400 V	3,32	1,11	10,9	A++
Bosch	CS3400iAWS 14 ORE-T	lucht/water	3 x 400 V	3,85	1,28	12,2	A++
Bosch	CS3400iAWS 4 ORB-S	lucht/water	230 V	1,13	1,13	3,81	A++
Bosch	CS3400iAWS 6 ORB-S	lucht/water	230 V	2,81	2,81	5,98	A+
Bosch	CS3400iAWS 8 ORB-S	lucht/water	230 V	3,32	3,32	7,35	A++
Bosch	CS3400iAWS 10 ORB-S	lucht/water	230 V	3,85	3,85	7,85	A++
Bosch	CS3400iAWS 12 ORB-S	lucht/water	230 V	3,76	3,76	10,8	A+
Bosch	CS3400iAWS 14 ORB-S	lucht/water	230 V	4,12	4,12	11,4	A+
Bosch	CS3400iAWS 10 ORB-T	lucht/water	3 x 400 V	2,81	0,94	9,6	A++
Bosch	CS3400iAWS 12 ORB-T	lucht/water	3 x 400 V	3,32	1,11	10,9	A++
Bosch	CS3400iAWS 14 ORB-T	lucht/water	3 x 400 V	3,85	1,28	12,2	A++
Bosch	CS3400iAWS 4 ORM-S	lucht/water	230 V	1,13	1,13	3,81	A++
Bosch	CS3400iAWS 6 ORM-S	lucht/water	230 V	2,81	2,81	5,98	A+
Bosch	CS3400iAWS 8 ORM-S	lucht/water	230 V	3,32	3,32	7,35	A++
Bosch	CS3400iAWS 10 ORM-S	lucht/water	230 V	3,85	3,85	7,85	A++
Bosch	CS3400iAWS 12 ORM-S	lucht/water	230 V	3,76	3,76	10,8	A+
Bosch	CS3400iAWS 14 ORM-S	lucht/water	230 V	4,12	4,12	11,4	A+
Bosch	CS3400iAWS 10 ORM-T	lucht/water	3 x 400 V	2,81	0,94	9,6	A++

Merk	Model	type	aansluiting	Vermogen Compressor kW	Vermogen Compressor per fase in kW	Thermisch vermogen A2/W35 in kW	Europees productlabel 55° C gemiddelde klimaatomstandig- heden
Bosch	CS3400iAWS 12 ORM-T	lucht/water	3 x 400 V	3,32	1,11	10,9	A++
Bosch	CS3400iAWS 14 ORM-T	lucht/water	3 x 400 V	3,85	1,28	12,2	A++
Bosch	CS2000AWF 4 R-S	lucht/water	230 V	2,3	2,3	4,4	A++
Bosch	CS2000AWF 6 R-S	lucht/water	230 V	2,7	2,7	5,5	A++
Bosch	CS2000AWF 8 R-S	lucht/water	230 V	3,4	3,4	7,1	A++
Bosch	CS2000AWF 10 R-S	lucht/water	230 V	3,7	3,7	8,2	A++
Bosch	CS2000AWF 12 R-T	lucht/water	3 x 400 V	5,5	1,83	9,2	A++
Bosch	CS2000AWF 14 R-T	lucht/water	3 x 400 V	5,8	1,93	11	A++
Bosch	CS2000AWF 16 R-T	lucht/water	3 x 400 V	6,2	2,07	13	A++
Bosch	CS5800iAW 4 ORM-S	lucht/water	230 V	2,9	2,9	4,3	A++
Bosch	CS5800iAW 5 ORM-S	lucht/water	230 V	2,9	2,9	6,4	A++
Bosch	CS5800iAW 7 ORM-S	lucht/water	230 V	2,9	2,9	7,1	A++
Bosch	CS5800iAW 4 ORE-S	lucht/water	230 V	2,9	2,9	4,3	A++
Bosch	CS5800iAW 5 ORE-S	lucht/water	230 V	2,9	2,9	6,4	A++
Bosch	CS5800iAW 7 ORE-S	lucht/water	230 V	2,9	2,9	7,1	A++
Bosch	CS5800iAW 10 ORM-T	lucht/water	3 x 400 V	7,2	2,4	11,6	A++
Bosch	CS5800iAW 12 ORM-T	lucht/water	3 x 400 V	7,2	2,4	12,7	A++
Bosch	CS5800iAW 10 ORE-T	lucht/water	3 x 400 V	7,2	2,4	11,7	A++
Bosch	CS5800iAW 12 ORE-T	lucht/water	3 x 400 V	7,2	2,4	12,6	A++
Bosch	CS3800iAW 4 OM-S	lucht/water	230 V	2,2	2,2	3,9	A++
Bosch	CS3800iAW 6 OM-S	lucht/water	230 V	2,4	2,4	5,59	A++
Bosch	CS3800iAW 7 OM-S	lucht/water	230 V	3,2	3,2	7,6	A++
Bosch	CS3800iAW 10 OM-S	lucht/water	230 V	4,2	4,2	10,1	A+++
Bosch	CS3800iAW 13 OM-S	lucht/water	230 V	5,7	5,7	12,44	A+++
Bosch	CS3800iAW 10 OM-T	lucht/water	3 x 400 V	4,5	1,5	10,28	A+++
Bosch	CS3800iAW 13 OM-T	lucht/water	3 x 400 V	6	2	12,57	A+++
Bosch	CS3800iAW 4 OMH-S	lucht/water	230 V	2,2	2,2	3,9	A++
Bosch	CS3800iAW 6 OMH-S	lucht/water	230 V	2,4	2,4	5,59	A++
Bosch	CS3800iAW 7 OMH-S	lucht/water	230 V	3,2	3,2	7,6	A++
Bosch	CS3800iAW 10 OMH-S	lucht/water	230 V	4,2	4,2	10,1	A+++
Bosch	CS3800iAW 13 OMH-S	lucht/water	230 V	5,7	5,7	12,44	A+++
Bosch	CS3800iAW 10 OMH-T	lucht/water	3 x 400 V	4,5	1,5	10,28	A+++
Bosch	CS3800iAW 13 OMH-T	lucht/water	3 x 400 V	6	2	12,57	A+++
Bosch	CS3800iAW 4 OE-S	lucht/water	230 V	2,2	2,2	3,9	A++
Bosch	CS3800iAW 6 OE-S	lucht/water	230 V	2,4	2,4	5,59	A++

Merk	Model	type	aansluiting	Vermogen Compressor kW	Vermogen Compressor per fase in kW	Thermisch vermogen A2/W35 in kW	Europees productlabel 55° C gemiddelde klimaatomstandig heden
Bosch	CS3800iAW 7 OE-S	lucht/water	230 V	3,2	3,2	7,6	A++
Bosch	CS3800iAW 10 OE-S	lucht/water	230 V	4,2	4,2	10,1	A+++
Bosch	CS3800iAW 13 OE-S	lucht/water	230 V	5,7	5,7	12,44	A+++
Bosch	CS3800iAW 10 OE-T	lucht/water	3 x 400 V	4,5	1,5	10,28	A+++
Bosch	CS3800iAW 13 OE-T	lucht/water	3 x 400 V	6	2	12,57	A+++